



COLOP[®]

MARKING SOLUTIONS

The Spirit of Innovation

About us

The Spirit of Innovation



Global Player. COLOP is one of the world's leading manufacturers of modern stamp and marking devices. With more than 500 employees and numerous subsidiaries worldwide, COLOP exports to more than 130 countries with an export rate higher than 98 %. Continuous growth is firmly rooted in COLOP's corporate philosophy, which ensures that the globally increasing demand for high-quality European stamp products can continue to be met in the future. It was for this reason that a major expansion of the production capacity was carried out in the last few years at both the parent plant in Wels, Austria, and at the company's second production site in the Czech Republic. COLOP operates in three business areas: in the standard stamps segment, in the digital marking area as well as in the field of arts and crafts.




Innovation & Design. Since it was founded some 40 years ago, COLOP has been committed to product innovation in the field of state-of-the-art marking devices, particularly stamps. In 2008, for instance, the company introduced 'Green Stamps' into the stamp world. These stamps are made predominantly from recycled or renewable raw materials. Stamps with antibacterial protection are another of the company's significant innovations. With the Printer stamp line, the personalisation of stamps has become a trend. In 2019 COLOP introduced the world's first electronic-digital stamp and marking device for mobile printing of its kind - the COLOP e-mark®.



Marking Solutions. The range of products comprises a large selection of stamp solutions for different applications, including office and pocket stamps, text and date stamps, rectangular and round stamps. COLOP also supplies all the products and systems necessary to ensure a high-quality stamp imprint. The range of services offered by COLOP is rounded off by e-business solutions for the creation of text plates and the sale of stamp products online, as well as software tools for the personalisation of ImageCards™.



Quality & environmental management. COLOP's environmental management system has been ISO 14001 certified for many years, which ensures that all processes have been optimised from an ecological perspective. The company has however also had the conviction to make a voluntary, above-average contribution to environmental issues, going above and beyond the strict EU and national regulations. COLOP has been ISO 9001 certified since 2001. This certification forms the basis for a continual improvement process as part of the company's excellent internal quality management system.



CO₂ neutral. As early as during product development, attention is paid to resource conservation and the use of sustainable materials. The use of recycled plastics is constantly optimised and increased, and energy and raw materials are used as efficiently as possible. The in-house photo-voltaic system produces a considerable part of the electricity required at the Wels site. The significantly reduced but unavoidable CO₂ emissions of products - manufactured at one of the two production sites in Wels, Austria or Borovany, Czech Republic - are offset by investments in climate protection projects (Gold Standard projects). This means that more than 90 % of all products in the COLOP stamp range can be described as climate neutral.



High tech production. A modern and efficient production process is of great importance to COLOP, paying special attention to the energy resources required. Fully automated production and manufacturing of key product lines, ongoing modernisation and upgrading of machinery and constant process optimisations all ensure high quality products and an energy-efficient manufacturing process.



EOS Rectangular	3-4
EOS Rectangular, Square	5
EOS Round	6
EOS X-Large	7-8



EOS Hybrid Dater	9
------------------------	---



EOS Express	10-11
-------------------	-------



EOS Stamp Mouse	13
EOS Pocket Stamp, EOS Stamp Writer	14



EOS Spare Pads	15
----------------------	----



EOS Motivational Stamps	17
-------------------------------	----



EOS Flash Machines	19
EOS Production Materials	20-21



EOS Typesetting Tool	22-23
----------------------------	-------




EOS Quickstart Guides	24-28
-----------------------------	-------



EOS Line

Especially for you

The EOS Line is a modern and ergonomically designed flash stamp for brilliant and sharp imprints. Quick to manufacture and available „while you wait“ if required. The attractive black and white handles offer the perfect picture frame for your personal design.



Included are three appealing ImageCard™ designs to choose from



Cover for protection and transportation



X-Large formats for oversize stamping



Easy and clean re-inking



Black EOS Standard and XL stamps are made of minimum 80% recycled plastics



EOS ImageCard™ Designer
With the COLOP software you can easily personalise the look of your EOS stamp.

www.eos.imagecard.colop.com



SUSAN WILLIAMS
895 River Blvd. #145
Phoenix AZ 85063
 12 x 27 mm

EOS 10		
12x27 mm	size of imprint	colour of handle
3	recommended number of lines	packaging
kit contains		



PAUL A. JACOBS
 NINETH AVENUE 247
 DENVER, CO 75060
 TEL: 555 290 410
 14 x 38 mm



split cartridges and foams for 2-colour stamps available!

EOS 20		
14x38 mm	size of imprint	colour of handle
4	recommended number of lines	packaging
kit contains		



FLASH W. GORDON
 5160 East Highway 99
 Phoenix, AZ 85063
 tel: 555 290 310
 fax 555 290 311
 18 x 51 mm



split cartridges and foams for 2-colour stamps available!

EOS 30		
18x51 mm	size of imprint	colour of handle
5	recommended number of lines	packaging
kit contains		



REDWOOD
 market garden
 Seaside Avenue 347/348
 Hill Valley, CA 90104
 tel: 555 - 490 710 208
 fax 555 - 490 710 209
 23 x 59 mm



split cartridges and foams for 2-colour stamps available!


EOS 40		
23x59 mm	size of imprint	colour of handle
6	recommended number of lines	packaging
kit contains		

4 | EOS Rectangular



BOB'S GARAGE

34 Glendale Ave. 99
Phoenix, AZ 85063
mobile: 0555 230 219
tel: 555 240 227
fax 555 240 228
e-mail: bob@garage.net



30 x 70 mm

EOS 50

30 x 70 mm	size of imprint		colour of handle
7	recommended number of lines		packaging
Kit contains			



FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
mobile: 555 290 311
tel: 555 290 310
fax 555 290 311
e-mail: flash@w.gordon.com
www.flashwgordon.com

38 x 76 mm

EOS 60

38 x 76 mm	size of imprint		colour of handle
8	recommended number of lines		packaging
Kit contains			



FLASH W. GORDON mobile: 555 290 311
e-mail: flash@w.gordon.com tel: 555 290 310

8 x 64 mm

EOS 12

8 x 64 mm	size of imprint		colour of handle
2	recommended number of lines		packaging
Kit contains			



IGUANA PET SHOP
643 Courcelle Avenue #504
Montreal QC
H4C 3C5 Canada

15 x 76 mm

EOS 25

15 x 76 mm	size of imprint		Colour of handle
4	recommended number of lines		Packaging
Kit contains			



WAYNE INDUSTRIES
 390 Gotham Lane 99
 Gotham City, GC 10086
 tel: 555 490 310
 fax 555 490 311
 e-mail: wayne@industries.net

30 x 51 mm

EOS 35		
30 x 51 mm	size of imprint	colour of handle
7	recommended number of lines	packaging
kit contains		



SUNBEAM
 tanning salon
 5160 East Highway 99
 London / SE11 4WW / UK
 tel: 555 258 224
 e-mail: sun@beam.com

25 x 82 mm

EOS 45		
25 x 82 mm	size of imprint	colour of handle
6	recommended number of lines	packaging
Kit contains		



Fresh W. Gordon's Fruit Market
 89 North-East Highway 82
 Phoenix, AZ 85063
 mobile: 555 290 311
 tel: 555 290 310
 fax 555 290 311
 e-mail: fresh@fruit net

40 x 63 mm

EOS 55		
40 x 63 mm	size of imprint	colour of handle
9	recommended number of lines	packaging
kit contains		



FLASH W. GORDON
 5160 East Highway 99
 Phoenix, AZ 85063
 mobile: 555 290 311
 tel: 555 290 310
 fax 555 290 311
 e-mail: flash@w.gordon.com

30 x 30 mm

EOS Q 30		
30 x 30 mm	size of imprint	Colour of handle
7	recommended number of lines	Packaging
kit contains		

6 | EOS Round



Ø 17 mm

EOS R 17


17 mm	size of imprint		colour of handle
3	recommended number of lines		packaging
kit contains			



Ø 17 mm

EOS R 17 Industry

17 mm	size of imprint		colour of handle
3	recommended number of lines		packaging
kit contains			



Ø 30 mm

EOS R 30


30 mm	size of imprint		colour of handle
5	recommended number of lines		packaging
kit contains			



Ø 42 mm

EOS R 40

42 mm	size of imprint		colour of handle
7	recommended number of lines		packaging
kit contains			



Ø 45 mm

EOS R 45

45 mm	size of imprint		colour of handle
9	recommended number of lines		packaging
kit contains			



Ø 51 mm

EOS R 50			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

ALL DIMENSIONS ARE CERTIFIED

ON ORIGINAL DRAFT
PRINTS MADE ARE RECORDED
AND FILED BY THE FOLLOWING

Dept. _____



47 x 98 mm

EOS 110			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

AFRICAN PALM TREE
Country Club

Tree Cain Rd
 Bracknell LE11 1EP
 Tel: 01234 611613
 Tel: 01234 611614
 Fax - 15
 Fax - 16



50 x 75 mm

EOS 112			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

Proj.: _____
 F & E: _____
 Constr.: _____
 Law. _____



3		
4		
Appr. 6		

60 x 80 mm

EOS 115			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

8 | EOS X-Large



Proj.: _____
 F & E: _____
 Constr.: _____
 Law. _____



Appr.6	

70 x 95 mm

EOS 120			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT
REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING

▼ Initials & Date Dept.

89 x 114 mm

EOS 130			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			

ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT
REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING

▼ Initials & Date Dept.

Checked: _____ Date: _____

89 x 121 mm

EOS 140			
	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Hybrid Dater

Unique combination of flash and self-inking technology

Combines the sturdy date functionality of a self-inking stamp with the flexibility and convenience of a flash stamp custom textplate.



Rubber date bands offer robust quality



Flash text plate can be made in a few minutes



Band cover for clean handling



Easy to change ink pads



Christophers American Bar & Grill
 THE BEST BARBECUE IN TOWN

12 NOV 2032

21 Wellington Street, London SW2 9RS
 020 786123589, www.americangrill.uk

25 x 47 mm



EOS Printer 38 Hybrid Dater		
25 x 47 mm	size of imprint	colour of handle
5*	recommended number of lines	packaging

* contains one line for the date



EOS Express

The fastest way to make a stamp

**With the EOS Express cartridge stamps are produced within seconds.
 The assembling steps are minimised - no extra clear film needed.
 The optimised inking process makes the stamp ready to use in a few minutes.
 All black EOS Express mounts consist of at least 80% recycled plastic.**



Pre-assembled EOS cartridge

Clear film already fixed on foam - easy handling and protection



Inking automatically activated during flash process

Final assembling with one click



PAUL A. JACOBS
 NINETH AVENUE 247
 DENVER, CO 75060
 TEL: 555 290 410

14 x 38 mm



EOS 20

14 x 38 mm	size of imprint		colour of handle
4	recommended number of lines		packaging
kit contains			



FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
tel: 555 290 310
fax 555 290 311

18 x 51 mm



EOS 30

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



REDWOOD
market garden

Seaside Avenue 347/348
Hill Valley, CA 90104
tel: 555 - 490 710 208
fax 555 - 490 710 209

23 x 59 mm



EOS 40


	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



BOB'S GARAGE

34 Glendale Ave. 99
Phoenix, AZ 85063
mobile: 0555 230 219
tel: 555 240 227
fax 555 240 228
e-mail: bob@garage.net

30 x 70 mm



EOS 50

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
mobile: 555 290 311
tel: 555 290 310
fax 555 290 311
e-mail: flash@w.gordon.com
www.flashwgordon.com

38 x 76 mm



EOS 60

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



IGUANA PET SHOP
643 Courcelle Avenue #504
Montreal QC
H4C 3C5 Canada

15 x 76 mm



EOS 25

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Ø 17 mm



EOS R 17

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Ø 42 mm



EOS R 40

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Portable Stamps

Essential companions

Multifunctional and always with you - on your desk in the office, or „on the road“ in a pocket, around the neck or on a keyring.



Modern design - minimised and reduced to the essential



COLOP's pen stamps are attractive writing implements, but with the added function of a practical stamp



Easy and flexible to use - effortless and clean



Small, smart and portable - with a clip it goes everywhere



THOMAS JERRY
 Mouse Avenue 115
 Mice City, MC 194058
 e-mail: thomas@jerry.com

13 x 34 mm



EOS Stamp Mouse 20

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



THOMAS A. JERRY
 Mouse Avenue 123
 Mice City, MC 191087
 e-mail: thomas@jerry.com
 www.thomas-a-jerry.com

16 x 47 mm



EOS Stamp Mouse 30

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Ø 38 mm



EOS Stamp Mouse R 40

	size of imprint		colour of handle
	recommended number of lines		packaging
kit contains			



Clip

	packaging
--	-----------



Lanyard

	packaging
--	-----------



Keyring

	packaging
--	-----------



PAUL A. JACOBS
 NINETH AVENUE 247
 DENVER, CO 75060
 TEL: 555 290 410

14 x 38 mm



EOS Pocket Stamp 20

14 x 38 mm	size of imprint		colour of handle
4	recommended number of lines	10	packaging



FLASH W. GORDON
 5160 East Highway 99
 Phoenix, AZ 85063
 tel: 555 290 310
 fax 555 290 311

18 x 51 mm



EOS Pocket Stamp 30

18 x 51 mm	size of imprint		colour of handle
5	recommended number of lines	10	packaging



REDWOOD
 market garden
 Seaside Avenue 347/348
 Hill Valley, CA 90104
 tel: 555 - 490 710 208
 fax 555 - 490 710 209

23 x 59 mm



EOS Pocket Stamp 40

23 x 59 mm	size of imprint		colour of handle
6	recommended number of lines	10	packaging



STAN WRITE
 mobile: 021-898 5107
 e-mail: stan@write.com

8 x 33 mm

EOS Stamp Writer

8 x 33 mm	size of imprint		colours
3	recommended number of lines		packaging



STAN WRITE
 mobile: 021-898 5107
 e-mail: stan@write.com

8 x 33 mm

EOS Stamp Writer Exclusive

8 x 33 mm	size of imprint		colours
3	recommended number of lines		packaging



	Kit			Mount	Cartridge				Foam	Spare Pad Hybrid
	inked	uninked	without cartridge		inked	uninked	X-PRESS	X-PRESS textile		
Rectangular/Round/Square										
EOS 10	x		x						x	
EOS 12	x		x						x	
EOS 20	x		x						x	
EOS 25	x		x						x	
EOS 30	x		x						x	
EOS 35	x		x						x	
EOS 40	x		x						x	
EOS 45	x		x						x	
EOS 50	x		x						x	
EOS 55	x		x						x	
EOS 60	x		x						x	
EOS Q 30	x		x						x	
EOS R 17	x		x						x	
EOS R 30	x		x						x	
EOS R 40	x		x						x	
EOS R 45	x		x						x	
EOS R 50	x		x						x	
X-PRESS										
EOS Express 20	x							x	3) x	
EOS Express 30	x							x		
EOS Express 40	x							x		
EOS Express 50	x							x		
EOS Express 60	x							x		
EOS Express 25	x							x		
EOS Express R 17	x							x		
EOS Express R 40	x							x		
X-LARGE										
EOS 110		x							2) x	
EOS 112		x							2) x	
EOS 115		x							2) x	
EOS 120		x							2) x	
EOS 130		x							2) x	
EOS 140		x							2) x	
Hybrid Dater										
EOS Printer 38 Hybrid Dater		1) x							x	x
Stamp Mouse										
EOS Stamp Mouse 20			x						2) x	
EOS Stamp Mouse 30			x						2) x	
EOS Stamp Mouse R 40			x						2) x	
Stamp Writer										
Stamp Writer Flash			x						x	
Pocket Stamp										
EOS Pocket Stamp 20				x						
EOS Pocket Stamp 30				x						
EOS Pocket Stamp 40				x						
Motivational Stamp										
Motivational Stamp									2) x	

1) blue/red only
 2) cartridge and foam are one part
 3) cartridge without clear film

split cartridges and foams for 2-colour stamps available



EOS Motivational Stamps

Motivate with an attractive stamp imprint

High quality stamps with positive, motivating messages - designed for target groups such as education or loyalty programs.



Preinked - Stamp is ready to use and requires no extra ink pad

Re-inkable - If imprint fades - pull off the handle and re-ink the stamp for further imprints



Round image sticker - Shows the imprint on the handle and helps to choose the right stamp

High quality inks - for brilliant and jolly imprints



Easy handling - A simple but ergonomical handle guarantees effortless stamping

Practical storage - The enclosed plastic box is perfect to keep the stamp ready and clean when not used



Motivational Stamp Maker
Create your EOS production template quickly and easily with the COLOP online tool „Motivational Stamp Maker“. Many different designs are available. Each text can be modified to your language.

motivationalstamps.colop.com



Motivational Stamp/L	
22 mm	size of imprint
12	packaging



Motivational Stamp Design Mix			
22 mm	size of imprint		colour of handle for Gold Star, Thumbs Up
4	packaging		colour of handle for Gold Star, Thumbs Up



Motivational Stamp Design Mix			
22 mm	size of imprint		colour of handle
3	recommended number of lines		packaging



Flash Machine

Optimally adjusted for the production of EOS stamps

The compact COLOP FS-800 and FS-1200T are simple to use. The machines are optimised for the whole EOS product range and the system guarantees excellent results every time.

Flash Machine



The robust shutter mechanism distributes the pressure evenly on the flash text plate



The flash process starts automatically by closing the lid



Magnetic distance plates allow a fast switch over of the particular EOS systems



Software included



Flash Machine EOS | 19

FS-800

242 x 242 x 177 mm	machine size
98 x 58 mm	exposure area
2	number of exposure lamps
220 V / 50 Hz	power supply
50/60 Hz	frequency
9 A	maximum power consumption



FS-1200T

307 x 242 x 177 mm	machine size
125 x 98 mm	exposure area
3	number of exposure lamps
220 V / 50 Hz	power supply
50/60 Hz	frequency
9 A	maximum power consumption



Distance Plate Hybrid Dater FS-800

 format	100 x 60 x 10,5 mm	 packaging
--	--------------------	---







Distance Plate Hybrid Dater FS-1200T

 format	136 x 110 x 10,5 mm	 packaging
--	---------------------	---







Flash ink

	colours		content
	packaging 25 ml		packaging 250 ml
application: for all absorbent and non absorbent materials except PE/PP			








Quick Drying Ink 802

	colours		content
	packaging 25 ml		packaging 250 ml
application: for all absorbent and non absorbent materials except PE/PP			





Quick Drying Ink Premium 809




	colours		content
	packaging 25 ml		packaging 250 ml
application: for all absorbent and non absorbent materials. Non hazardous cargo.			






EOS Media Sheet A4

	format 210 x 297 mm		thickness 0,09 mm
	packaging		



EOS Vellum A4		
	format 210 x 297 mm	 thickness 0,09 mm
	packaging	





EOS Vellum A6		
	format 105 x 148 mm	 thickness 0,09 mm
	packaging	




EOS Clear Film A4		
	format 210 x 297 mm	 packaging




EOS Clear Film A6		
	format 105 x 148 mm	 packaging



EOS Signature and Repair Pen		
	line width 0,5 mm	 packaging



Motivational Stamp - Mask		
	packaging	



EOS Typesetting Tool

Typesetting with a few clicks

The EOS Typesetting Tool contains everything the user will need to create textplates in minutes. It offers templates as well as the ability to upload photographs.



Make stamps with your photo



Includes templates for all EOS sizes




Download the software here:

eostst.colop.com

1.

CHOOSE SIZE AND TEMPLATE


Choose the desired EOS size and start either with a template or with a blank text plate.



2.

TYPESSETTING


Enter the text and use the formatting controls to change the text style.



3.

ADD IMAGES OR EVEN PHOTOS


Choose images from the Clipart Collection or upload your own photo. It will be processed by a half-tone-filter to use it for a stamp.



4.

PREVIEW AND PRINT

Click on "view" to see the PDF preview and make sure that following settings are correct: Paper size DIN A4 (210 x 297 mm - also when using A6 vellum), no page scaling and no "auto-rotate and auto-center mode".





EOS Standard		
distance plate		
machine	FS-800	FS-1200T

ASSEMBLY



UN-INKED CARTRIDGES





Model	EOS 10	EOS 12	EOS 20	EOS 22	EOS 25	EOS 30	EOS 32	EOS 35	EOS 40	EOS 50	EOS 45	EOS 55	EOS 58	EOS 60
weight of ink	2,5 g	4,2 g	3,6 g	4,7 g	7,1 g	5,6 g	7,2 g	8,5 g	7,8 g	11,3 g	11,4 g	13,3 g	14,3 g	15,0 g
Model	EOS Q 30	EOS R 17	EOS R 30	EOS R 40	EOS R 45	EOS R 50		EOS 20 2-colour		EOS 30 2-colour		EOS 40 2-colour		
weight of ink	5,3 g	1,8 g	4,2 g	7,5 g	8,7 g	10,9 g		1,2 g	2,2 g	1,9 g	3,5 g	2,5 g	4,8 g	

RE-INKING





EOS X-large		
distance plate		
machine	FS-800	FS-1200T

MONTAGE

EOS XL: open and close lid to start a second flash session



Model	EOS 110	EOS 112	EOS 115	EOS 120	EOS 130	EOS 140
weight of ink	31,8 g	26,2 g	32,9 g	41,2 g	63,4 g	67,5 g

RE-INKING





EOS Express

distance plate	
machine	FS-800 FS-1200T

ASSEMBLY



EOS Hybrid Dater

distance plate	
machine	FS-800 FS-1200T

ASSEMBLY





RE-INKING



keep upside down for 5 minutes



EOS Stamp Mouse		
distance plate	 3mm	
machine	FS-800	FS-1200T



ASSEMBLY



Model	Stamp Mouse 20	Stamp Mouse 30	Stamp Mouse R 40
weight of ink	1,0 g	1,8 g	2,5 g

RE-INKING





EOS Motivational Stamp	
distance plate	 
Model	Motivational Stamp
weight of ink	1,2 g


ASSEMBLY





EOS Stamp Writer/Exclusive		
distance plate		
machine	FS-800	FS-1200T
Model	Stamp Writer	
weight of ink	0,5 g	

ASSEMBLY



EOS Pocket Stamp		
distance plate	Standard or Express	
machine	FS-800	FS-1200T

ASSEMBLY



RE-INKING



Legend

	Individual blister packaging		Packaging in individual box
	Masterbox		Individual box with flap

FSC® = Forest Stewardship Council®

Printed on FSC®-certified paper
Gedruckt auf FSC®-zertifiziertem Papier
Imprimé sur papier certifié FSC®
Impreso en papel certificado FSC®
Impresso em papel com certificação FSC®
Stampato su carta certificata FSC®



23 / 01 / 166452 / English

